

**IN THE CLAIMS:**

This listing of the claims will replace all prior versions and listings of the claims in the application:

1. (Previously Presented) A telecommunications system, comprising:  
a wireless device including a positioning controller and a communications controller;  
and  
an administrative device for receiving a third-party user-defined geographic boundary and time and date associations and receiving alerts from said wireless communication device via said communications controller when said positioning controller determines that said wireless device is outside said third-party user-defined geographic boundary at an associated time and date;  
means associated with the wireless device for sending a request to the administrative device for a change in said third-party user-defined geographic boundary at an associated time and date; and  
means for transmitting said change to the wireless device upon third-party approval of said change.
2. (Original) A telecommunications system in accordance with claim 1, wherein said positioning controller receives global positioning network signals for determining a position of said wireless communications device.
3. (Original) A telecommunications system in accordance with claim 2, wherein said communications controller comprises a cellular network controller for transmitting on a cellular telephone network to said administrative device.
4. (Previously Presented) A telecommunications system in accordance with claim 3, wherein said administrative device is adapted to display location information when said wireless device is determined to be outside said user-defined boundary.
5. (Canceled)

6. (Currently Amended) A telecommunications method, comprising:  
affixing a wireless device to a predetermined user;  
third-party programming said wireless device to be in an allowed predetermined range, said allowed predetermined range comprising a geographic perimeter and route and daily routine limits;  
maintaining presence and availability information on said predetermined user within said predetermined range; [[and]]  
transmitting one or more alerting signals to an administrative device when said wireless device is determined to be outside said allowed predetermined range; and  
sending a request to said administrative device associated with the third-party for a change in said allowed predetermined range; and  
transmitting said change to the wireless device upon third-party approval of said change.
7. (Original) A telecommunications method in accordance with claim 6, wherein said administrative device comprises a telephony device.
8. (Original) A telecommunications method in accordance with claim 6, wherein said one or more alerting signals comprise one or more e-mail signals.
9. (Original) A telecommunications method in accordance with claim 12, wherein said one or more alerting signals comprise one or more Instant Messaging signals.
10. (Canceled)
11. (Currently Amended) A telecommunications method in accordance with claim 10, ~~further comprising receiving at said wireless communications device~~ 6, wherein said change comprises a temporary variance to said predetermined range.

12. (Previously Presented) A telecommunications method in accordance with claim 11, wherein said temporary variance comprises one or more new perimeter, route or daily routine limits.

13. (Currently Amended) A telecommunications method, comprising:  
associating a predetermined user with a wireless telecommunications device, said wireless telecommunications device including a positioning controller for determining a position of said wireless communication device and a communications controller for transmitting a position of said wireless telecommunications device to an administrative device;

third-party programming said wireless telecommunications device to said predetermined user's daily routine, said daily routine including one or more allowed geographic boundary and time associations;

maintaining presence and availability information on said predetermined user within said predetermined user's daily routine;

affixing said wireless telecommunications device to said predetermined user;

monitoring said predetermined user's actual routine and sending one or more alert signals to said administrative device if said actual routine differs from a programmed predetermined routine;

sending a request to said administrative device associated with the third-party for a change in said allowed predetermined range; and

transmitting said change to the wireless telecommunications device upon third-party approval of said change.

14. (Original) A telecommunications method in accordance with claim 13, ~~including~~ wherein said receiving a change request comprises receiving a request at said administrative device for a temporary variation in said predetermined routine.

15. (Original) A telecommunications method in accordance with claim 14, further including transmitting a variance to said wireless telecommunication device from said administrative device.

16. (Original) A telecommunications method in accordance with claim 15, wherein said transmitting variance comprises transmitting via a cellular telephone network.

17. (New) A telecommunications system, comprising:  
a wireless device including a positioning controller and a communications controller;  
and

an administrative device configured to receive a third-party user-defined geographic boundary and time and date associations and receiving alerts from said wireless communication device via said communications controller when said positioning controller determines that said wireless device is outside said third-party user-defined geographic boundary at an associated time and date;

wherein the wireless device is configured to send a request to the administrative device for a change in said third-party user-defined geographic boundary at an associated time and date; and

wherein the administrative device is configured to transmit said change to the wireless device upon third-party approval of said change.

18. (New) A telecommunications system in accordance with claim 17, wherein said positioning controller receives global positioning network signals for determining a position of said wireless communications device.

19. (New) A telecommunications system in accordance with claim 18, wherein said communications controller comprises a cellular network controller for transmitting on a cellular telephone network to said administrative device.

20. (New) A telecommunications system in accordance with claim 19, wherein said administrative device is adapted to display location information when said wireless device is determined to be outside said user-defined boundary.